

aspenhome

ah

ITEM NO: I242-338 Open Base for Peninsula Desk


Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.



TOOLS REQUIRED (NOT PROVIDED) PHILLIPS SCREWDRIVER

HARDWARE LIST:			
No.	Description	Sketch	Quantity
Α	Allen Wrench 4mm		1 PC

FUNCTIONALITY INSTRUCTION



BEFORE USING THIS PRODUCT PLEASE READ, UNDERSTAND, AND FOLLOW THESE INSTRUCTIONS. Save these instructions for future reference.

FOR INDOOR USE ONLY




aspenhom

ITEM NO: I242-339 1 Drawer Base

ah

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.






aspenhome

ITEM NO: I242-341 3 Drawer Base w/ File

ah

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.




aspenhome

ITEM NO: I242-344 Peninsula Desk

ah

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.




TOOLS REQUIRED (NOT PROVIDED) PHILLIPS SCREWDRIVER

HARDWARE LIST:			
No.	Description	Sketch	Quantity
Α	Bolt Ø1/4" x 1-1/2"	9	7 PCS
В	Lock Washer Ø1/4"	Ø	7 PCS
C	Flat Washer Ø1/4" x 3/4"	0	7 PCS
D	Allen Wrench 4mm		1 PC
Ε	Wood Screw #8 x 1-1/2"	Ounnun	3 PCS

COMPONENTS LIST:			
No.	Description	Sketch	Quantity
1	Desk Top		1 PC
2	End Panel		1 PC


FUNCTIONALITY INSTRUCTION






ITEM NO: I242-344 Peninsula Desk

<u>STEP 1:</u> Put the desk top face down on a soft surface. Attach the end panel to the desk top by using 4 bolts(A), lock washers(B) flat washers(C).



STEP 2: Remove the fake drawer front on the desk base of -338. Align the hole in the front rail of desk base with the insert in the end brace of desk top. Attach the desk top with end panel to the desk base using 3 bolts(A), lock washers(B) flat washers(C) and wood screws (E).






ITEM NO: I242-385DC	
I242-385L	
I242-385R	

Mod Center Open Hutch Mod LF Hutch w/ Doors Mod RF Hutch w/ Doors

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.

│ UNIT SHOULD BE INSTALLED BY 2 OR MORE PERSONS.



TOOLS REQUIRED (NOT PROVIDED) PHILLIPS SCREWDRIVER

COMPONENTS LIST: I242-385L

No.	Description	Sketch	Quantity
1	Case	P	1 PC
2	Door Glass	Dox Gam	1 PC

HARDWARE LIST: I242-385L			
No.	Description	Sketch	Quantity
A	Bolt Ø1/4" x 1-9/16"	0	16 PCS
В	Lock Washer Ø1/4"	Ð	16 PCS
C	Flat Washer Ø1/4" x 3/4"	0	16 PCS
D	Allen Wrench 4mm		1 PC
E	Mounting Plate	00	2 PCS
F	Wood Screw #8 x 3/4"	\$20000000	4 PCS
		Only for	option 2

COMPONENTS LIST: I242-385R

Back Panel


2

No.	Description	Sketch	Quantity
1	Case	Ē	1 PC
2	Door Glass	Door Gam	1 PC

COMPONENTS LIST: I242-385DC			
No.	Description	Sketch	Quantity
1	Case		1 PC

 \square

1 PC



BEFORE USING THIS PRODUCT PLEASE READ, UNDERSTAND, AND FOLLOW THESE INSTRUCTIONS. Save these instructions for future reference.

FOR INDOOR USE ONLY



D

A

⇔B ⇔C

B

Center Hutch

}

D

A B

D

Left Hutch

back panel

case

Right Hutch

Distributed by Furniture Values International, LLC

ITEM NO: I242-385DC I242-385L I242-385R

ah

Mod Center Open Hutch Mod LF Hutch w/ Doors Mod RF Hutch w/ Doors

FOR OPTION 1: With Center Open Hutch

STEP 1: Put the case of center hutch upside down on a soft surface, Attach the back panel to the case by using 4 bolts(A), lock washers(B) and flat washers(C).

<u>STEP 2:</u> Attach the left hutch and right hutch to the center hutch by using 12 bolts(A), lock washers(B) and flat washers(C).


<u>STEP 3:</u> Return the assembled hutch to the right side up position. Take off one screw from each mounting plate and swing it to the proper location on the other bookcase before re-securing it with the screw.



ITEM NO: I242-385DC	
I242-385L	
I242-385R	

Mod Center Open Hutch Mod LF Hutch w/ Doors Mod RF Hutch w/ Doors

<u>STEP 4:</u> Put the assembled hutch on the assembly desk. Take off one screw from each metal plate on the back of hutch and swing it in an ideal place. Then re-secure the metal plate with screw to assembly desk.





ITEM NO: I242-385DC	Mod Center Open Hutch
I242-385L	Mod LF Hutch w/ Doors
I242-385R	Mod RF Hutch w/ Doors

FOR OPTION 2: W/O Center Open Hutch

<u>STEP 1:</u> Put both left and right hutches upside down on a soft surface. Attach the left hutch to right hutch by using 6 bolts (A), lock washers (B) and flat washers (C) after opening each door.

