



ITEM NO: I248-6050 Dining Table

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.






| TOOLS REQUIRED (NOT PROVIDED) | | |
|-------------------------------|--|--|
| PHILLIPS SCREWDRIVER | | |

| HARDWARE LIST: | | | | |
|----------------|---------------------------|--------|----------|--|
| No. | Description | Sketch | Quantity | |
| A | Bolt Ø5/16" x 2-1/4" | 9 | 8 PCS | |
| В | Lock Washer Ø5/16" | | 8 PCS | |
| С | Flat Washer Ø5/16" x 3/4" | 0 | 8 PCS | |
| D | Allen Wrench 4mm | | 1 PC | |

| COMPONENTS LIST: | | | | |
|------------------|-------------|--------|----------|--|
| No. | Description | Sketch | Quantity | |
| 1 | Table Top | | 1 PC | |
| 2 | Leg | | 4 PCS | |

FUNCTIONALITY INSTRUCTION



BEFORE USING THIS PRODUCT PLEASE READ, UNDERSTAND, AND FOLLOW THESE INSTRUCTIONS. Save these instructions for future reference.


FOR INDOOR USE ONLY



ITEM NO: I248-6050 Dining Table

For OPTION 1:


STEP 1: Lay the table top face down on a soft surface. Attach the legs to table top by using 8 bolts(A), lock washers(B), flat washers(C) with an allen wrench(D). Completely tighten all bolts. Remove 4 wood blocks by taking out 8 wood screws, then turn the assembled table to the upright position.



For OPTION 2:

<u>STEP 2:</u> Turn the table locks under the table top to the OFF position as shown below. Fully extend both sides of table as shown below.


STEP 3: Remove the leaf in opening and push ends of table together to close the gaps in table top. Turn the table locks to the ON position.





Dining Side Chair w/ Wood Seat (2/Ctn) ITEM NO: I248-6640S

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.




TOOLS REQUIRED (NOT PROVIDED) PHILLIPS SCREWDRIVER

| HARDWARE LIST: | | | | |
|----------------|---------------------------|----------|----------|--|
| No. | Description | Sketch | Quantity | |
| Α | Bolt Ø5/16" x 3-1/4" | 9 | 4 PCS | |
| В | Bolt Ø5/16" x 2-1/4" | 1 | 4 PCS | |
| C | Bolt Ø5/16" x 1-1/2" | 0 | 2 PCS | |
| D | Lock Washer Ø5/16" | | 10 PCS | |
| Е | Flat Washer Ø5/16" x 3/4" | | 10 PCS | |
| F | Allen Wrench 4mm | | 1 PC | |

| COMPONENTS LIST: | | | | |
|------------------|-------------|--------|----------|--|
| No. | Description | Sketch | Quantity | |
| 1 | Chair Back | | 1 PC | |
| 2 | Chair Seat | | 1 PC | |
| 3 | Front Leg | | 2 PCS | |

FUNCTIONALITY INSTRUCTION




BEFORE USING THIS PRODUCT PLEASE READ, UNDERSTAND, AND FOLLOW THESE INSTRUCTIONS. Save these instructions for future reference.



ITEM NO: I248-6640S Dining Side Chair w/ Wood Seat (2/Ctn)

<u>STEP 1:</u> Attach the front legs to chair seat by using 4 bolts(B), lock washers(D), flat washers(E) with an allen wrench(F).



STEP 2: Attach the chair seat to chair back by using 4 bolts(A), 2 bolts(C), 6 lock washers(D), 6 flat washers(E) with an allen wrench(F) tighten all bolts. Turn the assembled chair to the upright position.

